LVIII. *A Catalogue of the* Fifty Plants *from* Chelsea Garden, *presented to the* Royal Society *by the worshipful Company of Apothecaries, for the Year* 1759, *pursuant to the Direction of Sir* Hans Sloane, *Baronet, Med. Reg. & Soc. Reg. nuper Præses, by* John Wilmer, *M. D. clariss. Societatis Pharmaceut.* Lond. *Socius, Hort.* Chelsean. *Præfectus & Prælector. Botanic.*

Read March 27, 1760.

1851 ACER foliis trilobis integerrimis. Flor. Leyd. Prod. 459.
Acer trifolium. C. B. P. 431.

1852 Alsine marina foliis portulacæ. Fl. Pruss. P. 12. Ic. 2.
Anthyllis maritima centifolia. C. B. P. 282.
Alsine centifolia, seu Alsine cruciata marina. Ger. Emac. 622.

1853 Aster foliis lanceolatis acutis scabris, caule simplici, floribus umbellatis terminalibus. Dict. Hort.
Aster ramosus annuus Canad. Mor. Hist.

1854 Azalea ramis infra flores foliosis. Flor. Virg.

1855 Brassica foliis infimis ovato-lanceolatis, serrato-dentatis, summis linearibus integerrimis.

1856 Bromos panicula nutante, foliis utrinque subpilosis, glumis ciliatis. Lin. Sp. Pl. 76.

1857 Calendula foliis obverse ovatis denticulatis, caule fruticoso perenni. Flor. Leyd. Prod. 531.

1858 Cerasus foliis ovatis. Virg. Hort. Cliff. 43.
Cerasus

The Royal Society is collaborating with JSTOR to digitize, preserve, and extend access to *Philosophical Transactions (1683-1775).* www.jstor.org

Ceraſus Sylveſtris amara Mahaleb putata. I. B. 1. 227.

1859 Chelidonium maximum Canadenſe acaulon Cornuti.

Sanguinaria. Hort. Eltham.

1860 Clematis compoſitis et decompoſitis foliolis ternatis ſerratis. Gmel.

1861 Clematis purpurea repens, petalis florum coriaceis. Baniſter.

1862 Cratægus; folio ſubrotundo, ſerrato, ſubtus incano, Aria multis. Tourn. 633.

1863 Cratægus; Ceraſi folio, floribus magnis. Amman. Ruth. 274.

1864 Cratægus; folio laciniato. Tourn. 633.

Sorbus torminalis. Dod. 803.

1865 Dens canis latiore; rotundioreque folio, flore ex purpura rubente. C. B. 87.

1866 Elymus ſpica erecta, ſpicula involucro longiore. Hort. Upſal. 22.

1867 Erigeron foliis baſi revolutis. Lin. Sp. Pl. 863.

Senecio Bonarienſis purpuraſcens, foliis imis coronopi. Hort. Eltham. 344.

1868 Eruca latifolia, alba ſativa, Doſcoridis. C. B. 98. Officin. 185.

1869 Euonymus floribus omnibus quinquefidis. Lin. Sp. Pl. 197.

Euonymus Virginianus pyracanthæ foliis, capſula verrucarum inſtar exaſperata. Pluk. Almag. 139.

1870 Gypſophylla foliis lanceolato-linearibus obſolete triquetris lævibus obtuſis. Lin. Gen. nov. 1103.

Saponaria petalis ovatis, foliis glaucis pulpoſis. Hall. Jen. 117.

1871 Hypericum fœtidum fruteſcens majus. Tourn.
Hypericum fruteſcens Canarienſe multiflorum. Hort. Amſt.

1872 Hypericum fœtidum fruteſcens. Tourn.
Tragium legitimum veterum. Ponæ Baldo 88.

1873 Hypericum orientale fœtido ſimile ſed inodorum. T. Cor.

1874 Jaſminum foliis lanceolatis oppoſitis integerrimis calycibus acutioribus. Miller's Icons.

1875 Ixia planifolia, caule multiflora, ſpatha breviſſima. Miller.

1876 Lunaria major; ſiliqua rotundiore. I. B. 2. 881.

1877 Lycopus foliis æqualiter ſerratis. Lin. Sp. Plant. 21.
Lycopus foliis lanceolatis tenuiſſime ſerratis. Flor. Virg. 8.

1878 Majorana rotundifolia ſcutellata exotica. H. R. Par.

1879 Ortega. Læſl. epiſt. viii. Lin. Sp. Pl. 560.
Juncaria Salmatica. Cluſ. Hiſt. 1. P. 174.

1880 Oſteoſpermum foliis oppoſitis palmatis. Lin.
Chryſanthemum perenne Virginianum majus platani folio orientale. Mor. Hiſt.

1881 Oxalis ſcapo umbellifero, foliis ternatis bipartitis. Lin. Sp. Pl. 434.
Oxalis bulboſa pentaphylla et hexaphylla, floribus magnis luteis et copioſis. Burman. Plant. Afric. 80.

1882 Peucedanum Germanicum. C. B. P. 149. Mor. Umb. 36.

Fœniculum

Fœniculum porcinum. Lobel. Adverſ. 350.

1883 Potentilla foliis bipinnatis, ſegmentis integerrimis diſtantibus ſubtus tomentoſis, caule decumbente. Lin. Sp. Pl. 496.

Pentaphylloides ſupinum minus, folio glabro non ſerrato. Amman. Ruth. 116.

1884 Robinia pedunculis ſimpliciſſimis, foliis abrupte pinnatis. Hort. Upſal. 212.

Caragana Siberica. Flor. Leyd. 537.

1885 Salvia foliis oblongo-ovatis integerrimis calycibus patulis coloratis. Fig. Tab. 225. F. 2.

1886 Scabioſa Africana fruteſcens, foliis rugoſis, et crenatis minor. Par. Bat.

1887 Seſeli caule alto rigido, foliolis linearibus faſciculatis. Lin. Sp. Pl. 260.

Oenanthe ſtriata rigida. Hort. Cliff. 99.

1888 Silene floribus faſciculatis, calycibus tomentoſis. Fl. Virg.

1889 Silene foliis quaternis. Flor. Virg.

Lychnis Caryophylleus Virginianus, Gentianæ foliis glabris quatuor ex ſingulis geniculis caulem amplexantibus, flore amplo fimbriato. Raii Hiſt. tom. ii. p. 1895.

1890 Siler montanum, foliis Aquilegiæ. Mor. Hiſt. 3. 276.

Angelica montana perennis, Aquilegiæ folio. Tourn. 313.

1891 Siſyrinchium foliis gladiolatis amplexicaulibus pedunculis brevioribus. Dict. Hort.

Bermudiana iridis folio fibroſa radice. T. Inſt. 338.

1892 Soli-

1892 Solidago paniculata, racemis recurvatis, floribus erectis, foliis lanceolatis integerrimis glabris. Miller's Icons.

1893 Sorbus Sylveſtris foliis domeſticæ ſimilis. C. B. P. 415.
Sylveſtris ſive Fraxinus bubula. Ger. 1290.

1894 Styrax; folio Mali Cotonei. C. B. 452. Officin. 473.

1895 Thapſia montana omnium maxima, foliis lobatis, umbellis luteis. Micheli Hort. Flor.

1896 Tithymalus arboreus. Alpini.

1897 Tithymalus Cypariſſias. Alpini Exotic.

1898 Veronica; floſculis oblongis pediculis inſidentibus, Chamædryos folio. Hiſt. Ox. 2. 322.

1899 Viburnum Mathioli. C. B. 429.

1900 Vitex foliis ternatis quinatiſque pinnato inciſis, ſpicis verticillatis terminalibus. Dict. Hort.

LIX. *Some Account of the Animal ſent from the* Eaſt Indies, *by General* Clive, *to his Royal Highneſs the Duke of* Cumberland, *which is now in the Tower of* London: *In a Letter from* James Parſons, *M. D. F. R. S. to the Rev.* Tho. Birch, *D. D. Secretary to the Royal Society.*

Read March 27, 1760.

AT the requeſt of the Reverend Dr. Littleton, dean of Exeter, I went to obſerve this creature, in order to find what claſs of animals he belonged to; and made the drawing,